

## Application No. Applicant(s) 09/888.660 KIISKI ET AL. Notice of Allowability Examiner Art Unit Nittaya Juntima -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. 1. This communication is responsive to 7/8/2005. 2. The allowed claim(s) is/are 1-10, 12-31; renumbered as 1-30, respectively. 3. The drawings filed on 25 June 2001 are accepted by the Examiner. 4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) 🔯 All b) Some\* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. \_\_\_ 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). \* Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient. 6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) I including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. Attachment(s) 1. Notice of References Cited (PTO-892) 5. Notice of Informal Patent Application (PTO-152) 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 6. ☐ Interview Summary (PTO-413). Paper No./Mail Date 3. Information Disclosure Statements (PTO-1449 or PTO/SB/08), 7. X Examiner's Amendment/Comment Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit 8. Examiner's Statement of Reasons for Allowance

of Biological Material

9. ☐ Other .

## **EXAMINER'S AMENDMENT**

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Alicia Choi on July 11, 2005.

The application has been amended as follows:

In the claim:

Claim 1, line 8, --, wherein said data packet is an ATM cell and defective data frames are packed into the same ATM cell, and wherein those ATM cells which contain only defective frames are tagged in said tagging step-- has been inserted after "status".

Claim 10, line 2, ", and wherein said data packet is an ATM cell" has been deleted.

Claim 11 is cancelled.

Claim 17, line 7, --, wherein said data packet is an ATM cell and defective data frames are packed into the same ATM cell, and wherein those ATM cells which contain only defective frames are tagged in said tagging means-- has been inserted after "status".

Claim 26, line 3, ", and wherein said data packet is an ATM cell" has been deleted.

Art Unit: 2663

Claim 29, line 6, --, wherein said data packet is an ATM cell and defective data frames are packed into the same ATM cell, and wherein those ATM cells which contain only defective frames are tagged-- has been inserted after "met".

Claim 31, line 2, ", and wherein said received data packet is an ATM cell" has been deleted.

2. The following is an examiner's statement of reasons for allowance: the prior art alone or in combination fails to teach or make obvious on the following when considered in combination with other limitations in the claim: judging the quality of an ATM cell on the basis of a downlink power controls status and packing defective data frames into the same ATM cell for tagging and dropping as recited in independent claims 1, 17, and 29.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Nittaya Juntima whose telephone number is 571-272-3120. The examiner can normally be reached on Monday through Friday, 8:00 A.M - 5:00 P.M.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ricky Ngo can be reached on 571-272-3139. The fax phone number for the

Art Unit: 2663

organization where this application or proceeding is assigned is 703-872-9306 (571-273-8300, effective 7/15/2005).

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Nittaya Juntima July 11, 2005.

> RICKY NGO PRIMARY EXAMINER

2/11/05